

PCSK9 Wild Type in culture medium (Human, His-tagged recombinant protein expressed in HEK 293 cells)

Cat# CY-R2310

Sterile condition

Lot No.

(25 µg/mL x 1 mL x 2)

Product Description: PCSK9 binds to the LDL receptor *in vitro* and *in vivo*. Human PCSK9 wild type containing a C-terminal His-tag, expressed in HEK 293 cells. Binding capability to EGF-AB domain of LDL receptor was confirmed by using CircuLex PCSK9-LDLR *in vitro* Binding Assay Kit (CY-8150). The PCSK9 Wild Type might be used for LDLR degradation assay on HepG2 cell. Unused PCSK9 Wild Type in culture medium should be stored at -70°C.

Product Size: 25 µg/mL x 1 mL x 2. The concentration of PCSK9 was determined by CircuLex PCSK9 ELISA Kit (CY-8079) using purified recombinant PCSK9 Wild Type (Cat# CY-R2330) as a standard.


Formulation: The PCSK9 Wild Type in culture medium is supplied frozen in DME, 10 %FCS and appropriate antibiotics in sterile condition.

Source: Full length human PCSK9 wild type, containing C-terminal His-tag, expressed in HEK 293 cells.

Molecular Weight: The PCSK9 Wild Type in culture medium demonstrates 62 kDa (catalytic and C-terminal domain) and 16 kDa (prodomain band) by western blot analysis.

Storage and Stability: Stable for 12 months at -70°C from date of shipment. Aliquot protein to avoid repeated freezing and thawing.

Fig.1. Binding capability to EGF-AB domain of LDL receptor was confirmed by using CircuLex PCSK9-LDLR *in vitro* Binding Assay Kit (CY-8150)



General References:

1. Seidah NG, Benjannet S, Wickham L, Marcinkiewicz J, Jasmin SB, Stifani S, Basak A, Prat A, Chretien M (2003) Proc Natl Acad Sci USA 100:928–933.
2. Abifadel M, Varret M, Rabes JP, Allard D, Ouguerram K, Devillers M, Cruaud C, Benjannet S, Wickham L, Erlich D, et al. (2003) Nat Genet 34:154–156.
3. Leren TP (2004) Clin Genet 65:419–422.
4. Allard D, Amsellem S, Abifadel M, Trillard M, Devillers M, Luc G, Krempf M, Reznik Y, Girardet JP, Fredenrich A, et al. (2005) Hum Mutat 26:497.
5. Cohen JC, Boerwinkle E, Mosley TH, Jr, Hobbs HH (2006) N Engl J Med 354, 1264–1272.
6. Berge KE, Ose L, Leren TP (2006) Arterioscler Thromb Vasc Biol 26:1094–1100.
7. Maxwell KN, Breslow JL (2004) Proc Natl Acad Sci USA 101:7100–7105.
8. Rashid S, Curtis DE, Garuti R, Anderson NN, Bashmakov Y, Ho YK, Hammer RE, Moon YA, Horton JD (2005) Proc Natl Acad Sci USA 102:5374–5379.
9. Lagace T. A., Curtis, D. E., Garuti, R., McNutt, M. C., Park, S. W., Prather, H. B., Anderson, N. N., Ho, Y. K., Hammer, R. E., and Horton, J. D. (2006) J. Clin. Investig. 116, 2995–3005

10. Cameron, J., Holla, O. L., Ranheim, T., Kulseth, M. A., Berge, K. E., and Leren, T. P. (2006) Hum. Mol. Genet. 15, 1551–1558
11. Zhang, D. W., Lagace, T. A., Garuti, R., Zhao, Z., McDonald, M., Horton, J. D., Cohen, J. C., and Hobbs, H. H. (2007) J. Biol. Chem. 282, 18602–18612
12. Hyock Joo Kwon*, Thomas A. Lagace†, Markey C. McNutt†, Jay D. Horton†‡, and Johann Deisenhofer (2008)) Proc Natl Acad Sci USA 105: 1820–1825.

Related Products:

- * CircuLex Mouse/Rat PCSK9 ELISA Kit: Cat# CY-8078
- * CircuLex Human PCSK9 ELISA Kit: Cat# CY-8079
- * CircuLex PCSK9-LDLR in vitro Binding Assay Kit: Cat# CY-8150
- * Anti-Human PCSK9 prodomain monoclonal antibody (KS-3C8): Cat# CY-M1032
- * Anti-Human PCSK9 monoclonal antibody (KS-4H12): Cat# CY-M1033
- * PCSK9 Wild Type in culture medium: Cat# CY-R2310
- * PCSK9 Δ(33-53) / Wild Type in culture medium: Cat# CY-R2320
- * PCSK9 D374Y in culture medium: Cat# CY-R2311
- * PCSK9 Δ(33-53) / D374Y in culture medium: Cat# CY-R2321
- * PCSK9 Wild Type/Δ53 in culture medium: Cat# CY-R2320
- * PCSK9 Wild Type: Cat# CY-R2330
- * PCSK9 D374Y: Cat# CY-R2331
- * PCSK9 R194A: Cat# CY-R2333
- * LDLR EGF-AB domain: Cat# CY-R2340
- * LDLR EGF-AB domain, Myc-tagged: Cat# CY-R2341
- * LDLR EGF-AB domain H306Y: Cat# CY-R2342
- * LDLR EGF-AB domain H306Y, Myc-tagged: Cat# CY-R2343

PRODUCED BY

CycLex Co., Ltd.
1063-103 Terasawaoka
Ina, Nagano 396-0002
Japan
Fax: +81-265-76-7618
e-mail: info@cyclex.co.jp
URL: <http://www.cyclex.co.jp>

CycLex/CircuLex products are supplied for research use only. CycLex/CircuLex products and components thereof may not be resold, modified for resale, or used to manufacture commercial products without prior written approval from CycLex Co., Ltd.. To inquire about licensing for such commercial use, please contact us via email.